



ALL IN ONE WINDOWS TERMINAL SERIES

Applications: Retail, Restaurant, Fast Food Service



Zonerich was established in 2001 and is a famous trademark in Guangdong Province, China. Zonerich has its own ZONERICH Science Park, more than 1,000 square meters of R&D centers. Zonerich has more than 300 employees. Zonerich has passed the ISO9001:2015 international quality management system certification.

Products are widely used in administrative law enforcement, emergency management, supermarkets, financial insurance, communications, express logistics, industrial equipment and other fields. ZONERICH is excellent quality and excellent performance have won the favor and praise of customers in more than 100 countries and regions around the world, such as Europe, America, South America, Southeast Asia, the Middle East, Singapore, Australia, Italy, Hong Kong, etc.


In both the Chinese and global markets, Zonerich is committed to being a supplier that can help customers achieve their business goals. Zonerich can achieve this ambitious goal because it has a deep understanding of customers' business needs, strives to predict the changing market and customer needs, and can provide innovative total solutions and strong after-sales service support.



- 15.6" LCD display w. capacitive touch
- Applicable for retail, fast-food service & restaurant businesses
- Intel PC based solution
- 80mm thermal receipt printer included
- Color/alphabet LCD customer display available



80MM




J4125/N4000



WINDOWS



CAP. TOUCH



15.6 INCH



15.6" Display



Supports Auto-cuter




80mm Printer

CPU	Intel Celeron J4125 Processor	58mm Printer (Optional)	Printing method: Direct thermal
	Intel Celeron N4000 Processor		Printing speed: Max.70mm/s
RAM	4/8G		Printing width:48mm
Storage	64/128/256G		Paper width:57.5mm
Network	RJ45 1000M		Max diameter:50mm
Main Display	15.6inch (1920*1080) TFT-LCD EDP		Cutter: Manual
Touch Screen	Capacitive	80mm Printer	Printing method: Direct thermal
Speaker	Built-in 2W		Resolution:8 dots/mm
Customer Display	LCD 2x 20		Printing density:576 dots/line
	8 LED,5 Inch LCD TFT (Optional)		Printing speed: Max.160mm/s
I/O	DC12V x 1, HDMI x 1,		Printing width:72mm
	VGA x 1, USB x 4,		Paper width:79.5mm
	LAN x 1, Audio x 1	Max diameter:60mm	
Power Adapter	DC 12V/7A	Cutter: Auto-cutter	
Optional Function	NFC	Interface: USB, optional RS232	
	Dallas Key	Working temperature:-10°C-40°C	
	Battery:12V rechargeable	Temperature:-20°C-55°C	
Dimension	385x345x105mm(LxW×H)	Environment	Humidity:20%-90%RH

- 11.6" LCD display w. capacitive touch
- Applicable for retail, fast-food service & restaurant businesses
- Intel PC based solution
- 80mm thermal receipt printer included
- Color/alphabet LCD customer display available



80MM




J4125/N4000



WINDOWS



CAP. TOUCH



11.6 INCH



Dallas key Optional



80mm Printer



11.6" Display

CPU	Intel Celeron J4125 Processor	58mm Printer (Optional)	Printing method:Direct thermal
	Intel Celeron N4000 Processor		Printing speed:Max.70mm/s
RAM	4/8G		Printing width:48mm
Storage	64/128/256G		Paper width:57.5mm
Network	RJ45 1000M		Max diameter:50mm
Main Display	11.6inch (1920*1080) TFT-LCD EDP		Cutter:Manual
Touch Screen	Capacitive		Printing method:Direct thermal
Speaker	Built-in 2W		Resolution:8 dots/mm
Customer Display	LCD 2x 20		Printing density:576 dots/line
	8 LED,5 Inch LCD TFT (Optional)		Printing speed:Max.160mm/s
I/O	DC12V x 1, HDMI x 1,	Printing width:72mm	
	VGA x 1, USB x 4,	Paper width:79.5mm	
	LAN x 1, Audio x 1	Max diameter:60mm	
Power Adapter	DC 12V/7A	Cutter:Auto-cutter	
Optional Function	NFC	Interface:USB,optional RS232	
	Dallas Key	Working temperature:-10°C-40°C	
	Battery:12V rechargeable	Temperature:-20°C-55°C	
Dimension	310x300x105mm(LxW×H)	Environment	Humidity:20%-90%RH



WEBSITE

GUANGZHOU ZONERICH BUSINESS MACHINE CO., LTD.

Add: Zonerich Science Park, North Gate, No.17 Yun Jun Rd.,
Huangpu District, Guangzhou, China

Email: trade@zonerich.com Website: www.zbmpos.com

Hotline: (+86) 20 66671666